

Chief Secretary's Office, Adelaide, September 11th, 1894

During the undermentioned period are published for general  
J. H. GORDON, Chief Secretary.

*Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of July, 1889-94.*

Years .....	1889.	1890.	1891.	1892.	1893.	Average of Five Years.	1894.										Total for 1894.
*Population, July 1st	307,937	310,972	316,285	324,424	336,209		343,408										
Births.....	945	884	1,080	942	966	963	903										6,236
Rate per cent. ....	.307	.284	.341	.290	.287	—	.263										
<i>Deaths—</i>																	
All causes .....	255	342	321	251	332	300	303	59	33	42	42	39	67	21	—	31	2,370
Rate per cent. ....	.083	.110	.101	.077	.099	—	.088	—	—	—	—	—	—	—	—	—	
<i>Diseases—</i>																	
I. Specific Febrile or Zymotic ..	37	56	31	21	42	—	31	3	11	13	2	1	1	—	—	—	
II. Parasitic .....	1	—	—	3	—	—	1	1	—	—	—	—	—	—	—	—	
III. Dietic .....	1	4	2	1	3	—	—	—	—	—	—	—	—	—	—	—	
IV. Constitutional..	53	54	62	45	49	—	59	3	3	9	21	12	9	2	—	—	
V. Developmental..	32	34	33	29	37	—	35	13	—	—	—	—	10	12	—	—	
VI. Local .....	106	155	155	118	171	—	147	24	14	18	17	24	43	7	—	—	
VII. Violence .....	14	26	16	11	15	—	10	—	3	2	1	2	2	—	—	—	
VIII. Ill-defined and not specified causes .....	11	13	22	23	15	—	20	15	2	—	1	—	2	—	—	—	

\* The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines.

*Causes of Deaths registered in the Month of July, 1894.*

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			V.				Diseases of locomotive system	
Measles	—	2	Premature birth	9	—		.....	—
Scarlet fever	—	8	Cyanosis	—	—		Diseases of integumentary system	1
Relapsing fever	—	—	Congenital defects	4	—		.....	—
Influenza	1	1	Old age	—	22	VII.		
Whooping-cough	1	—	VI.			(Accident.)		
Diphtheria	—	9	Apoplexy	—	10	Fracture and contusion	—	3
Simple and ill-defined fever	—	—	Epilepsy	—	3	Gunshot wound	—	1
Enteric fever	—	5	Convulsions	6	3	Cut, stab	—	2
Simple cholera	—	—	Other diseases of brain and nervous system	—	11	Burn and scald	—	2
Diarrhœa, dysentery	1	2	Diseases of organs of special sense	—	2	Poison	—	—
Remittent fever	—	—	Diseases of circulatory system	1	28	Drowning	—	—
Venereal affections	—	—	Croup	1	1	Suffocation	—	—
Erysipelas	—	1	Bronchitis	7	10	Otherwise	—	—
Pyæmia and septicæmia	—	—	Pneumonia	5	17	(Homicide.)		
Puerperal fever	—	—	Pleurisy	—	1	Murder and manslaughter	—	1
Other zymotic diseases	—	—	Other diseases of respiratory system	—	2	(Suicide.)		
II.			Dentition	1	—	Gunshot wound	—	—
Thrush	1	—	Quinsy, sore throat	—	—	Cut, stab	—	1
Worms and other parasitical diseases	—	—	Enteritis	1	3	Poison	—	—
III.			Peritonitis	—	3	Drowning	—	—
Privation—want of breast milk	—	—	Diseases of liver	—	5	Hanging	—	—
Alcoholism	—	—	Other diseases of digestive system	1	6	Otherwise	—	—
IV.			Diseases of lymphatic system and of ductless glands	—	—	VIII.		
Rheumatic fever and rheumatism of heart	—	2	Diseases of urinary system	—	13	Dropsy	—	2
Rheumatism	—	2	Diseases of generative system	—	—	Debility, atrophy, inanition	13	3
Gout	—	—	Accidents of childbirth	—	2	Mortification	—	—
Cancer, malignant disease	—	12		—	2	Tumor	—	—
Tabes mesenterica	—	1		—	—	Abscess	—	—
Tubercular meningitis	2	3		—	—	Hæmorrhage	—	—
Phthisis	—	31		—	—	Sudden, cause unascertained	—	—
Scrofula, tuberculosis	—	3		—	—	Other ill-defined and not specified causes	—	2
Other constitutional diseases	1	2		—	—			

*Return of Births and Deaths registered in the City of Adelaide in the Month of July, 1889-94.*

\*Including inquests.

+Not certified by qualified practitioners.

*Causes of Deaths registered in the Month of July, 1894.*

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.								
Measles .....	—	—	Scrofula, tuberculosis .....	—	—		Accidents of childbirth ....	—
Scarlet fever .....	—	—	Other constitutional diseases	—	1		Diseases of locomotivesystem	—
Relapsing fever .....	—	—					Diseases of integumentary	—
Influenza .....	—	1					system .....	—
Whooping-cough .....	—	—	V.					
Diphtheria .....	—	—	Premature birth .....	1	—		VII. (Accident.)	
Simple and ill-defined fever ..	—	—	Cyanosis .....	—	—		Fracture and contusion....	—
Enteric fever .....	—	—	Congenital defects .....	2	—		Gunshot wound .....	—
Simple cholera .....	—	—	Old age .....	—	6		Cut, stab .....	—
Diarrhoea, dysentery .....	1	—					Burn and scald .....	—
Remittent fever .....	—	—	VI.				Poison .....	—
Venereal affections .....	—	—	Apoplexy .....	—	—		Drowning .....	—
Erysipelas .....	—	—	Epilepsy .....	—	—		Suffocation .....	—
Pyæmia and septicæmia .....	—	—	Convulsions .....	—	1		Otherwise .....	—
Puerperal fever .....	—	—	Other diseases of brain and				(Homicide.)	
Other zymotic diseases .....	—	—	nervous system .....	—	2		Murder and manslaughter..	—
II.								
Thrush .....	—	—	Diseases of circulatory system	—	3		(Suicide.)	
Worms and other parasitical			Croup .....	—	—		Gunshot wound .....	—
diseases .....	—	—	Bronchitis .....	2	5		Cut, stab .....	—
III.								
Privation—want of breast milk	—	—	Pneumonia .....	—	3		Poison .....	—
Alcoholism .....	—	—	Pleurisy .....	—	—		Drowning .....	—
IV.								
Rheumatic fever and rheuma-			Other diseases of respiratory				Hanging .....	—
tism of heart .....	—	—	system .....	—	—		Otherwise .....	—
Rheumatism .....	—	—	Dentition .....	—	—		VIII.	
Gout .....	—	—	Quinsy, sore throat .....	—	—		Dropsey .....	—
Cancer, malignant disease ..	—	3	Enteritis .....	—	1		Debility, atrophy, inanition	2
Tabes mesenterica .....	—	—	Peritonitis .....	—	1		Mortification .....	—
Tubercular meningitis .....	—	—	Diseases of liver .....	—	1		Tumor .....	—
Phthisis .....	—	7	Other diseases of digestive				Abscess .....	—
			system .....	—	—		Hæmorrhage .....	—
			Diseases of lymphatic sys-				Sudden, cause unascertained	—
			tem and of ductless glands	—	—		Other ill-defined and not	—
			Diseases of urinary system	—	7		specified causes .....	—
			Diseases of generativesystem	—	1			

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of July, 1894.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres.....	3,632	573	659	552	718	480	650
Estimated population January 1st .....	39,749	6,283	6,946	8,265	9,626	3,713	4,916
Persons to an acre .....	10.9	10.9	10.5	14.7	13.4	7.7	7.6
Births .....	100	14	7	36	30	6	7
Male .....	58	11	5	17	16	4	5
Female .....	42	3	2	19	14	2	2
Deaths .....	40	11	8	5	12	3	1
Male .....	18	9	3	—	4	2	—
Female .....	22	2	5	5	8	1	1
CLASSES.							
I. Specific Febrile or Zymotic Diseases.....	2	—	—	1	—	—	1
II. Parasitic Diseases .....	—	—	—	—	—	—	—
III. Dietic Diseases.....	—	—	—	—	—	—	—
IV. Constitutional Diseases .....	9	1	2	1	4	1	—
V. Developmental Diseases .....	8	3	2	1	1	1	—
VI. Local Diseases .....	19	6	4	2	6	1	—
VII. Violence.....	—	—	—	—	—	—	—
VIII. Ill-defined and not specified causes .....	2	1	—	—	1	—	—
Percentage of Deaths to population of each Ward .....	·101	·175	·115	·060	·125	·081	·020

Causes of Deaths registered in the Month of July, 1894.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.								
Measles .....	—	—	Phthisis.....	—	6	Accidents of childbirth ....	—	1
Scarlet fever .....	—	—	Scrofula, tuberculosis .....	—	—	Diseases of locomotive system	—	—
Relapsing fever .....	—	—	Other constitutional diseases.	—	—	Diseases of integumentary system .....	—	—
Influenza .....	—	1	V.					
Whooping-cough .....	—	—	Premature birth .....	1	—	VII.		
Diphtheria .....	—	—	Cyanosis .....	—	—	(Accident.)		
Simple and ill-defined fever .....	—	—	Congenital defects .....	2	—	Fracture and contusion ....	—	—
Enteric fever .....	—	—	Old age .....	—	5	Gunshot wound .....	—	—
Simple cholera .....	—	—	VI.			Cut, stab .....	—	—
Diarrhoea, dysentery .....	1	—	Apoplexy .....	—	—	Burn and scald .....	—	—
Remittent fever .....	—	—	Epilepsy .....	—	—	Poison .....	—	—
Venereal affections .....	—	—	Convulsions .....	—	1	Drowning .....	—	—
Erysipelas .....	—	—	Other diseases of brain and nervous system .....	—	1	Suffocation .....	—	—
Pyæmia and septicæmia .....	—	—	Diseases of organs of special sense .....	—	1	Otherwise .....	—	—
Puerperal fever .....	—	—	Diseases of circulatory system .....	—	1	(Homicide.)		
Other zymotic diseases .....	—	—	Croup .....	—	—	Murder and manslaughter .....	—	—
II.			Bronchitis .....	2	5	(Suicide.)		
Thrush .....	—	—	Pneumonia .....	—	1	Gunshot wound .....	—	—
Worms and other parasitical diseases .....	—	—	Pleurisy .....	—	—	Cut, stab .....	—	—
III.			Other diseases of respiratory system .....	—	—	Poison .....	—	—
Privation — Want of breast milk .....	—	—	Dentition .....	—	—	Drowning .....	—	—
Alcoholism .....	—	—	Quinsy, sore throat .....	—	—	Hanging .....	—	—
IV.			Enteritis .....	—	1	Otherwise .....	—	—
Rheumatic fever and rheumatism of heart .....	—	1	Peritonitis .....	—	1	VIII.		
Rheumatism .....	—	—	Diseases of liver .....	—	1	Dropsy .....	—	—
Gout .....	—	—	Other diseases of digestive system .....	—	—	Debility, atrophy, inanition .....	2	—
Cancer, malignant disease .....	—	2	Diseases of lymphatic system .....	—	—	Mortification .....	—	—
Tabes mesenterica .....	—	—	and of ductless glands .....	—	—	Tumor .....	—	—
Tubercular meningitis .....	—	—	Diseases of urinary system .....	—	3	Abscess .....	—	—
			Diseases of generative system .....	—	—	Hæmorrhage .....	—	—
						Sudden, cause unascertained .....	—	—
						Other ill-defined and not specified causes .....	—	—

JULY, 1894.

The highest temperature in the shade at the Adelaide Observatory during the month was  $68^{\circ}1$  on the 27th; and the lowest,  $37^{\circ}2$ , on the 8th. The mean temperature of the month was  $51^{\circ}8$ .

The greatest range of the thermometer in one day,  $23^{\circ}0$ , took place on the 8th, viz., from a maximum of  $60^{\circ}2$  to a minimum of  $37^{\circ}2$ ; the lowest range,  $7^{\circ}0$ , on the 26th.

The mean height of the barometer was  $29.946$  inches; the maximum,  $30.273$  inches, occurred on the 9th; and the minimum,  $29.584$  inches, on the 27th.

Observatory, Adelaide, August 7th, 1894.

C. TODD, Observer.